United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/707,663	12/31/2003	Sheng-Jie Chen	ACMP0078USA	1662
NORTH AMERICA INTELLECTUAL PROPERTY CORPORATION P.O. BOX 506 MERRIFIELD, VA 22116			EXAMINER	
			VLAHOS, SOPHIA	
			ART UNIT	PAPER NUMBER
			2611	
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
2 MONTHS		02/02/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)				
Office Action Cumpment	10/707,663	CHEN ET AL.				
Office Action Summary	Examiner	Art Unit				
	SOPHIA VLAHOS	2611				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 31 De	ecember 2003.					
3) Since this application is in condition for allowar	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) Claim(s) 1-15 is/are pending in the application.						
4a) Of the above claim(s) is/are withdraw	n from consideration.					
5)⊠ Claim(s) <u>1-15</u> is/are allowed.						
6) Claim(s) is/are rejected.						
7) Claim(s) is/are objected to.		•				
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10) \boxtimes The drawing(s) filed on <u>31 December 2003</u> is/are: a) \square accepted or b) \boxtimes objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents	s have been received.					
2. Certified copies of the priority documents		on No.				
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
•		_				
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) 5) Notice of Informat Patent Application						
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informat P 6) Other:	atent Application				
S. Patent and Trademark Office						

Art Unit: 2611

DETAILED ACTION

Drawings

- 1. Figure 1-6 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, "the combiner is capable of setting the threshold phase difference referencing an expected signal to noise ratio (SNR) range of the received signal; such that the coherent combination of frame synchronization correlation results is with the slot synchronization phase when the SNR is in a high range, and with the linear combination of slot synchronization phases when the SNR is in a low range" of claim 13 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures

Application/Control Number: 10/707,663

Art Unit: 2611

appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Allowable Subject Matter

3. The following is a statement of reasons for the indication of allowable subject matter:

The prior art of the record fails to teach or suggest alone or in combination: A method for achieving frame synchronization of a received signal, the received signal being divided into frames with each frame comprising a plurality of slots, the method comprising: coherently combining frame synchronization correlation results with a slot synchronization phase, the slot synchronization phase determined by correlating the received signal with a slot a test phase difference is less than a threshold phase difference; coherently

Art Unit: 2611

combining frame synchronization correlation results with a linear combination of slot synchronization phases when the test phase difference is greater than or equal to the threshold phase difference; as recited in method claim 1 and in combination with other elements of the claim.

Claims 1-8 are allowed.

The prior art of the record fails to teach or suggest alone or in combination: A wireless device comprising: a combiner for coherently combining the frame synchronization correlation results with a slot synchronization phase when a test phase difference is less than a threshold phase difference or a linear combination of slot synchronization phases when the test phase difference is greater than or equal to the threshold phase difference as recited in claim 9, and in combination with other elements of the claim.

Claims 9-15 are allowed.

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Lindoff et. al. (U.S. 7,110,376)

Lee et. al.(U.S. 2001/0021199)

Zhou et. al. (U.S. 2003/0012270)

Application/Control Number: 10/707,663

Art Unit: 2611

5. This application is in condition for allowance except for the following formal matters (see objection to the Drawings above):

Prosecution on the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SOPHIA VLAHOS whose telephone number is 571 272 5507. The examiner can normally be reached on MTWRF 8:30-17:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mohammed Ghayour can be reached on 571 272 3021. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

SV 1/29/2006

> MOHAMMED GENTCUR SUPERVISORY PATENT EXAMINER